



## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021 Page 1 of 7

**ADO GOLDKANTE GMBH**

ZIMMERSMÜHLENWEG 14 18 61440 OBERURSEL

TEL: 1111111111

E-MAIL:

**To the attention of -**

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

| Sample No. | Sample Description        |
|------------|---------------------------|
| A          | Mesh fabric in Blue-White |

Client's reference No. : TR 1965247  
Buyer : Not Provided  
Order No. : ODE FR RE  
Model/Style No. : ODE FR RE  
Article No. : ODE FR RE  
Age Grade : Not Provided  
Manufacturer : ADO GOLDKANTE  
Country of Origin : TURKEY  
Country of Destination : EUROPE  
Shipment Date : Not Provided  
Fiber Composition : 100%RECYCLE FR  
Fabric Weight : Claimed to be 126 g/m2  
End Use : Not Provided  
Agency : Not Provided  
Sample Receiving Date : 19 July 2021  
Test Performing Period : 19 July 2021~25 August 2021  
**Submitted Care Label Instructions :** : Not Provided

**Overall Conclusion :** **PASS**

Test Results : Please refer to the next page(s).

**Performed Test Summary:** Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021

Page 2 of 7

| Test Parameters       | Result   |
|-----------------------|----------|
| <b>Physical tests</b> | <b>A</b> |
| Flammability          | M        |

|         |   |
|---------|---|
| Remarks | M = Meets client's requirement  |
|         | F = Does not meet client's requirement  |
|         | I = Inconclusive  |
|         | * = No specified requirement  |
| Notes:  | Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s). |
|         | Residual sample can be returned to client if requested.   |

The test results relate to the tested items only.  
Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul  
Signed for and on behalf of  
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

Gözde Gürses  
Customer Services Supervisor

Bilal Kılaz  
Customer Services Manager




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

**I. Test conducted**

This test was conducted as per DIN 4102-15:1990 & DIN 4102-16:2015 and DIN 4102-1:1998 Clause 6.2, and Classification in according to DIN 4102-1 (May 1998) Clause 6.1-Class B1 materials.

**II. Sample details**

|                     |                           |
|---------------------|---------------------------|
| General description | Fabric                    |
| Color               | White-blue                |
| Area Density        | 129 g/m <sup>2</sup>      |
| Size of sample      | 190mm×1000mm & 190mm×90mm |

**Conditioning**

Prior to testing, the sample was conditioned at least 14 days to constant mass at a temperature of 23 ± 2 °C, and a relative humidity of 50 ± 5 %.

**III. Test results**
**1) "Brandschacht" Test according to DIN 4102-15 &16**

Exposed surface: The front face

| Results of "Brandschacht" Test (part 1) |  |                     |           |       |
|---|--|---------------------|-----------|-------|
| Line No.                                | Unit   | Test assemblies No. |           |       |
|   |  | Lengthwise          | Widthwise |       |
| 1                                       | Specimen fixings according to DIN 4102 part 15, table          | /                   | /         | /     |
| 2                                       | Max. flame height above lower sample edge;                     | cm                  | 60        | 60    |
| 3                                       | Time <sup>1)</sup>   | min:s               | 01:12     | 00:58 |
| 4                                       | <u>Melting/burning through</u><br>Time <sup>1)</sup>           | min:s               | 00:01     | 00:01 |
| 5                                       | <u>Back of specimen</u><br>Flaming/glowing, Time <sup>1)</sup> | min:s               | 00:01     | 00:01 |
| 6                                       | Discolouring, Time <sup>1)</sup>                               | min:s               | 00:01     | 00:01 |
| 7                                       | <u>Burning droplets</u><br>Begin <sup>1)</sup>                 | min:s               | 00:03     | 00:04 |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021

Page 4 of 7

|   | <u>Amount</u>                                      | / | / |
|---|--|---|---|
| 8 | Specimen material falling off in separate droplets | ✓ | ✓ |
| 9 | Specimen material falling off continuously         | / | / |

To be continued...

| Results of "Brandschacht" Test (part 2) |   |                     |           |
|---|---|---------------------|-----------|
| Line No.                                | Unit  | Test assemblies No. |           |
|   |   | Lengthwise          | Widthwise |
|   | <u>Burning parts</u>  | No                  | No        |
| 10                                      | Begin 1)  | /                   | /         |
| 11                                      | Parts of sample falling off separately                      | /                   | /         |
| 12                                      | Parts of sample falling off continuously                    | /                   | /         |
| 13                                      | Duration of continued combustion on mesh base (max.)        | No                  | No        |
|   | <u>Burner flame impairment by dripping/falling material</u> | No                  | No        |
| 14                                      | Time <sup>1)</sup>  | /                   | /         |
|   | <u>Premature ending of test</u>                             | /                   | /         |
| 15                                      | End of burning at specimen <sup>1)</sup>                    | /                   | /         |
| 16                                      | Time when test terminated (if applicable) <sup>1)</sup>     | /                   | /         |
|   | <u>Burning after end of test</u>                            | No                  | No        |
| 17                                      | Duration  | /                   | /         |
| 18                                      | Number of specimens   | /                   | /         |
| 19                                      | Front of specimen   | /                   | /         |
| 20                                      | Back of specimen  | /                   | /         |
| 21                                      | Height of flame   | /                   | /         |
|   | <u>Glowing after end of test</u>                            | No                  | No        |
| 22                                      | Duration  | /                   | /         |
| 23                                      | Number of specimens   | /                   | /         |
| 24                                      | Front of specimen   | /                   | /         |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021

Page 5 of 7

|    |                         |   |   |
|----|-------------------------|---|---|
| 25 | Back of specimen        | / | / |
| 26 | Top half of specimen    | / | / |
| 27 | Bottom half of specimen | / | / |

| Results of "Brandschacht" Test (part 3) |                               |                     |       |           |       |    |
|---|-------------------------------|---------------------|-------|-----------|-------|----|
| Line No.                                | Unit                          | Test assemblies No. |       |           |       |    |
|   |                               | Lengthwise          |       | Widthwise |       |    |
|   | <u>Residual length</u>        | /                   |       | /         |       |    |
| 28                                      | Single results                | cm                  | 53    | 54        | 51    | 59 |
|   |                               |                     | 49    | 53        | 54    | 52 |
| 29                                      | Average of the single results | cm                  | 52    |           | 54    |    |
|   | <u>Smoke temperature</u>      |                     | /     |           | /     |    |
| 30                                      | Max. of average               | °C                  | 150.2 |           | 150.6 |    |
| 31                                      | Time <sup>1)</sup>            | min:s               | 04:21 |           | 03:56 |    |

Note: <sup>1)</sup> time from start of testing

\*Reduction in number of test (*DIN 4102 Part 16, clause 5.2*)

Class B1 materials:

If the residual length measured after the first test is 45cm or greater, further tests are not required.

### 2) Normal Flammability Test according to DIN 4102-1 Clause 6.2

Edge ignition

Fire application time: 15s

| Parameter  | Lengthwise |     |     |     |     | Crosswise |     |     |     |     |
|--|------------|-----|-----|-----|-----|-----------|-----|-----|-----|-----|
|  | 1          | 2   | 3   | 4   | 5   | 6         | 7   | 8   | 9   | 10  |
| Whether or not flaming extinguished before reach the gauge mark (Yes/No)   | Yes        | Yes | Yes | Yes | Yes | Yes       | Yes | Yes | Yes | Yes |
| Whether or not flaming reach the measuring mark within 20 seconds (Yes/No) | No         | No  | No  | No  | No  | No        | No  | No  | No  | No  |
| Time for the flame tip to reach the gauge mark (s)                         | NA         | NA  | NA  | NA  | NA  | NA        | NA  | NA  | NA  | NA  |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021

Page 6 of 7

|  |        |    |    |    |    |        |    |    |    |    |
|--|--------|----|----|----|----|--------|----|----|----|----|
| Afterflame time (s)                    | 0      | 0  | 0  | 0  | 0  | 0      | 0  | 0  | 0  | 0  |
| Max. flame height (cm)                 | 8      | 7  | 8  | 7  | 7  | 7      | 8  | 7  | 8  | 8  |
| Molten dripping (Yes/No)               | No     | No | No | No | No | No     | No | No | No | No |
| Smoke developments (visual impression) | Slight |    |    |    |    | Slight |    |    |    |    |

Note: NA---Not applicable

### IV. DIN 4102-1:1998 Criteria for classification

1) All materials, except flooring, may be classed as **B1** materials if they meet the following requirements a) and b):

a) The test using the 'Brandschacht' apparatus described in DIN 4102-15 (cf. subclause 6.1.3.1) shall be deemed passed if

– The mean value for the residual length (portion of specimen that has not burned or charred; cf. subclause 9.1 of DIN 4102-16) of each specimen is at least 15 cm and no individual values are lower than 0 cm,

– The mean effluent temperature does not exceed 200 °C in any test,

– The requirement for the residual length of each specimen is met even where there is afterflame, afterglow, or smouldering.

b) Pass DIN 4102-1: 1998 sub-clause 6.2.3 Ignitability Test if

For each specimen, flaming doesn't reach the gage mark within 20s after flame application.

2) Materials may be classed as **B2** materials if they pass the ignitability test specified in DIN 4102-1: 1998 subclause 6.2.5.

For each specimen, flaming doesn't reach the gage mark (150mm marks) within 20s after flame application.

3) Combustible materials which cannot be classed as B1 or B2 materials shall be classed as **B3** materials.

### **STATEMENTS:**

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

This test report does not replace any mandatory certification of the product that may be required.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire and smoke hazard of the product in use.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

## TEST REPORT

Job No./Report No TR1965247

Date:25 August 2021

Page 7 of 7

**\*\*These test has been performed at SGS Anji Lab.**



\* \* \*

End of Test Report

\* \* \*

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions](http://www.sgs.com/terms_and_conditions) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms-and-conditions/terms-e-document](http://www.sgs.com/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.